

**NEXA LIMITED**

QUALITY ASSURANCE LABORATORY

**MANUFACTURING TEST CERTIFICATE**

Date: 09 OCT 2021

Mgf. Date: 09-OCT-2021  
Product Name : NEXPLAST NR 300

Batch No. 16000016  
Quantity: 0.50 KG

| Test Parameter   | Unit | Range     | Result             |
|------------------|------|-----------|--------------------|
| Appearance       | NA   | NA        | Pale Yellow Liquid |
| Solid Content    | %    | 22-32     | 27.5               |
| Specific Gravity | NA   | 1.06-1.16 | 1.10               |
| Viscosity        | CPS  | 1-50      | 21.00              |
| pH               | NA   | 6-8       | 6.9                |

We do hereby certify that this batch consists of material having the analytical value shown above



Signature  
QA In charge

**NEXA LIMITED**

Head Office: Level-2, BA-73/1, South Badda, Badda, Dhaka-1212, Bangladesh  
Factory: Dhorenda, Rajashon, Savar, Dairy Firm, Savar, Dhaka, Bangladesh  
Email: [info@nexalimited.com](mailto:info@nexalimited.com), [sales@nexalimited.com](mailto:sales@nexalimited.com), [nexalimited@gmail.com](mailto:nexalimited@gmail.com)  
Website: [www.nexalimited.com](http://www.nexalimited.com)  
Contact: +88 01777666777, +8801719083017